Fibre Optic Patch Panel

📞 **+44 20 8895 6455**
✉ **info@webbinfra.com**
🌐 **www.webbinfra.com**

1U 24 Port for SC Simplex
Blank Fibre Patch Panel

FPP Series is a drawer patterned rack mount slide fibre patch panel, which is varying from 24 ports to 48 ports. It is appropriate for telecommunications network, fibre networks and optical cable systems. This rack mount patch panel has a sliding design with four cable entries at the rear. A 375px nut is available inside the panel to fix the splice tray.

Applications

- LAN/WAN
- FTTH
- CATV network
- Broadcasting

Specifications are subject to change without notice based on technical recommendations and related product enhancements

📞 +44 20 8895 6455
✉ info@webbinfra.com
🌐 www.webbinfra.com

Features

- Multi adaptor compatible patch panel
- Unit is 19" mountable
- Adapter plates available in SC SX, LC DX, ST SX & FC SX
- Front cable tray for easy fibre management
- 3x front adapter panel design; panels to choose from SC SX, LC DX, ST SX & FC SX

Specifications & Technical Parameters

Adapters, pigtails, splice trays and splice sleeves are not included

Part number	Steel and ABS plastic
Cable input	4 cable entry ports
Adapters	Accessible for the installation of LC/FC/SC/ST/other adapters
Working temperature	-40⁰C~ + 60⁰C
Design	TIA/EIA568.C, ISO/IEC 11801, En50173, IEC60304, IEC61754, EN-297-1
Colour	Matte black
Curvature radius	≥40mm
Lateral pressure- resistance	500N
Resistance	750N

Optional Accessories

- SC/ LC/FC/ST Simplex, LC Duplex adapters
- 12 core bundle coloured FC/SC/LC/ ST pigtails with length 1.5 metre
- Heat deflated tubes
- 12 core optical splice tray

Specifications are subject to change without notice based on technical recommendations and related product enhancements