



## Fibre Optic Patch Panel




# DATA SHEET

☎ +44 20 8895 6455  
✉ [info@webbinfra.com](mailto:info@webbinfra.com)  
🌐 [www.webbinfra.com](http://www.webbinfra.com)

## 1U 24 Port SC Duplex Sliding Fibre Patch Panel

Drawer patterned fibre patch panels designed to have 12 to 48 ports. It is appropriate for telecommunications network, fibre networks and optical cable systems. This rack mount patch panel has a sliding design with four cable entries at the rear. A set of bayonets has been attached to the box to install the cabling. ABS material has been utilized to form the splice tray, which is accessible for 0.9 mm, 2.0 mm and 3.0 mm fibre cables. Each patch panel can accommodate splice trays, panels and cable management accessories.



### Applications

- LAN/WAN
- FTTH
- CATV network
- Broadcasting

*\*Specifications are subject to change without notice based on technical recommendations and related product enhancements*

## Features

- 24 port SC duplex single structure with a sliding rails
- Unit is 19" mountable
- Front cable tray for easy fiber management
- 4 cable entries into the patch panel

## Specifications & Technical Parameters

Adapters, pigtails, splice trays and splice sleeves are not included

Material	Steel and ABS plastic
Cassette (splices trays)	1-cassette to hold 12 splices
Cable input	4 cable entry ports
Adapters	24 x SC duplex
Working temperature	-40°C~ + 60°C
Design	TIA/EIA568.C, ISO/IEC 11801, En50173, IEC60304, IEC61754, EN-297-1
Curvature radius	≥40mm
Colour	Matte black
Lateral pressure- resistance	500N
Resistance	750N

## Product Description

Part number	C.08.FPP.SCDX.24.E
Dimensions	L 483*W 350*H 44.5
Installation	19" rack mountable
Port	24 for SC DX(48 fibre)

*\*Specifications are subject to change without notice based on technical recommendations and related product enhancements*