

Outdoor Distribution Cabinet



DATA SHEET

44 44 20 8895 6455

info@webbinfra.com

 info@webbinfra.com



2400 Pairs Outdoor Distribution Cabinet


Webb outdoor distribution cabinet is a modular enclosure designed to meet industrial standards. It is integrated with frames for mounting various module blocks of up to 2400pairs. Its sturdy construction makes it an efficient solution for indoor and outdoor applications in a network connection system.

Technical Specifications

- Suitable for outdoor environments
- In compliance with TIA/EIA568A/B, CE, RoHS, and ISO standards
- Material of the body: galvanized steel
- Material of the brackets: stainless steel
- Integrated with front door and rear door
- Inclusive of 8 (30+1) back mounting frames
- Inclusive of horizontal mounting rails for fixing back mounting frames
- Inclusive of 2 door arrestors that secure the front and rear doors
- Inclusive of 4 horizontal jumper bars (2 top and 2 bottom), over four bays for cable guiding
- Cabinet integrated with locking system for security
- Inclusive of document holders attached on the inside of the front and rear door
- Inclusive of 48pcs jumper guides for attaching to rack mounting frames
- Inclusive of earthing kit:
- 16 cables 300 mm
- 8 cables 520 mm
- 24 cable sheath contacting screws
- Inclusive of concrete-plinth fixing kit
- Inclusive of 2 packets of sealing putty for securing cable entry ports
- Inclusive of backing plates to facilitate C-clamps
- Inclusive of C-clamps for securing the entry and exits of cables above the base plate
- Inclusive of 8pcs additional left guide hooks for cable management
- Inclusive of 8pcs additional right guide hooks for cable management
- Inclusive of fixing materials, for T-cutout back mount frames
- Cabinet dimensions: 1450 x 750 x 540 (H x W x D)
- Operating temperature: -40°C to 80°C
- Available in (RAL 7035) grey colour

^{*}Specifications are subject to change without notice based on technical recommendations and related product enhancements





OUTDOOR DISTRIBUTION CABINET PART NUMBER KEY

Part Number: C.04.DB.__._

C.04.DB.Pairs.OD.Disconnection module

Please add the codes from the tables below in the above format to derive your desired product part number

Pairs	
Number	Code
1200	120
2400	240

Disconnection module	Code
Loaded	L
Empty	Е

^{*}Additional accesseries code to be added after the cabinet part number for unloaded cabinets with a "+"

- **4** +44 20 8895 6455
- info@webbinfra.com
- ⊕ www.webbinfra.com

^{*}Specifications are subject to change without notice based on technical recommendations and related product enhancements